EMPISAL

RIBBED KNITWEAR

BOOK AUP8

EMPISAL

INTERNATIONAL KNITWEAR COLLECTION

EMPISAL are pleased to present, their International Fashion Co-ordinator's selection of PATONS machine knitted garments in rib patterns.

* AN EMPISAL PUBLICATION: WORLD COPYRIGHT BY EMPISAL INTERNATIONAL

---

contents

Page 2.	Lady's Dress with Hood	AUP8 - 1
Page 3.	Lady's Jumper	AUP8 - 2
Page 6.	Man's Jumper with Collar	AUP8 - 3
Page 7.	Man's Fancy Ribbed Cardigan	AUP8 - 4
Page 11.	Lady's Hooded Overstyle	AUP8 - 5
Page 14.	Lady's English Rib Jumper, Cap and Scarf	AUP8 - 6
Page 18.	Man's Jumper	AUP8 - 7
Page 19.	Man's Jumper	AUP8 - 8
Page 21.	Man's Yoked Jumper	AUP8 - 9
Page 22.	Lady's Jumper with Yoke	AUP8 - 10
Page 23.	Boy's Fancy Yoke Jumper	AUP8 - 11
Page 24.	Girl's Polo Neck Jumper	AUP8 - 12

AUP8-1. (Front Cover)

LADY'S DRESS WITH HOOD



MATERIALS:

PATONS BLUEBELL

		A	B	C
	25g balls	44	46	49
or	200g balls	6	6	7

9 Buttons.

MEASUREMENTS:

Fits Bust	cm	80	85	90
	ins	31½	33½	35½
Measures (approx.)	cm	82	87	92
	ins	32¼	34¼	36¼
Length	cm	102	102	103
	ins	40¼	40¼	40⅝
Sleeve seam	cm	43	(all sizes)	
	ins	17		

TENSION: T.9.1. = 26½ sts. and 39 rows to 10 cm (approx. 4 ins) over stocking st. PLEASE CHECK.

BACK: Carr. on R. T.9.1. Cast on 170 (184 - 198) sts. in waste yarn. Knit 6 rows. T.8. Using Main yarn knit 12 rows. T.10. Knit 1 row. T.9.1. Knit 12 rows. T.10. Close hem. T.9.1. Knit 4 rows. * Put heels of sts. from 4th row below on to needles on main bed. T.10. Close hem. * T.9.1. Knit 7 rows. ** Rep. from * to ** 9 times, then from * to * once. Arrange needles for 8 x 6 rib having 5 sts. at ea. end of work on main bed. *** T.9. on main bed, T.8. on ribber bed R/C on 0. Knit until R/C reads 164. Take work off machine on waste yarn. Select 98 (106 - 114) needles on main bed, return work dec. all ribber bed sts. by having 4 sts. on ea. of 2 needles on ea. side of these ribs. Bring these needles into "E" pos. *** R/C on 0. T.9.1. Knit 18 rows. Inc. at each end of next and foll. 18th rows 5 times in all — 108 (116 - 124) sts. Knit until R/C reads 98.

SHAPE ARMHOLES: R/C on 0. Cast off 6 (8 - 10) sts. at beg. of next 2 rows. Dec. at ea. end of next and foll. alt. rows 6 (7 - 8) times in all — 84 (86 - 88) sts. Knit until R/C reads 66 (66 - 70).

SHAPE SHOULDERS: Cast off 10 sts. at beg. of next 4 rows, then 10 (11 - 11) sts. at beg. of foll. 2 rows. Cast off rem. sts.

LEFT FRONT: Carr. on R. T.9.1. Cast on 86 (90 - 100) sts. in waste yarn. Work as for Back to **. Rep. from * to ** 9 times, hen from * to * once. Arrange needles for 8 x 6 rib (as before) having 5 (9 - 5) sts. at R of machine on main bed. Work as from *** to *** as for Back, taking note to select 50 (54 - 58) needles. R/C on 0. Carr. on R. T.9.1. Knit 18 rows. Inc. at end of next and foll. 18th rows 5 times in all. 55 (59 - 63) sts. Knit until R/C reads 99.

SHAPE ARMHOLES: Cast off 6 (8 - 10) sts. at beg. of next row. Dec. at end of next and alt. rows 6 (7 - 8) times in all — 43 (44 - 45) sts. Knit until R/C reads 41 (41 - 43).

SHAPE NECK: Cast off 7 sts. at beg. of next row. Dec. at neck edge in next and alt. rows 6 (6 - 7) times in all — 30 (31 - 31) sts. Knit until R/C reads 66 (66 - 70).

SHAPE SHOULDER: Cast off 10 sts. at beg. of next row and foll. alt. row. Work 1 row. Cast off.

RIGHT FRONT: Work to correspond with Left Front, reversing all shapings and placement of sts.

SLEEVES: Carr. on R. T.9.1. cast on 72 sts. in waste yarn. Work as for Back to **. Rep. from * to ** 5 times, then from * to * once. Take work off machine on waste yarn and replace, reversing fabric. Arrange needles for 8 x 6 rib (as before). R/C on 0. T.9. on main bed, T.8. on

ribber bed, knit 40 rows. Inc. at each end of next and foll. 10th (8th - 8th) rows 9 (6 - 11) times in all, "B" only then in foll. 10th rows 4 times — 90 (92 - 94) sts. Knit until R/C reads 164.
SHAPE TOP: R/C 0. Cast off 3 (4 - 5) sts. at beg. of next 2 rows. Dec. at ea. end of next and alt. rows 16 (16 - 20) times in all — 52 (52 - 44) sts, then in every row 17 (17 - 13) times. R/C reads 50 (50 - 54). Cast off rem. 18 sts.

HOOD: T.9.1. Cast on 184 sts. in waste yarn. K.6. rows. T.8. Using main yarn knit 12 rows. T.10. Knit 1 row, T.9.1. Knit 12 rows. T.10. Close hem. Work as for Back to **. Rep. from * to ** 5 times, then from * to * once. Arrange needles for 8 x 6 rib (as before). R/C 0. Knit until R/C reads 84. Cast off.

RIGHT FRONT BAND: Cast on 18 sts. on both beds for circular knitting (p.27 ribber manual). T.8. — R/C on 0. Knit 72 rows. * Knit centre 4 sts. on both beds on to waste yarn and leave sts. on needles in "B" pos. Knit 72 rows *. Rep. from * to * 7 times, then buttonhole row once, 9 buttonholes. Knit 8 rows. R/C reads 656. Cast off.

LEFT FRONT BAND: Work as for Right Front Band omitting buttonholes.

TO MAKE UP: Press lightly. Join shoulder, side and sleeve seams. Sew on front bands. Fold hood in half and join back seam, then sew hood in pos. Remove waste yarn from buttonholes and oversew. Sew on buttons. Press seams.

AUP8-2.

LADY'S JUMPER

MATERIALS:
PATONS PATONYLE

		A	B	C	D
Main Colour	25g balls	13	14	15	16
or	200g balls	2	2	3	3
Contrast Colour 1	25g balls	4	4	4	4
Contrast Colour 2	25g balls	1	1	1	1
Contrast Colour 3	25g balls	1	1	1	1

MEASUREMENTS:

Fits Bust	cm	80	85	90	95
	ins	31½	33½	35½	37½
Measures	cm	84	89	94	99
	ins	33	35	37	39
Length	cm	52	52	53	53
	ins	20½	20½	20¾	20¾
Sleeve Seam	cm	43			
	ins	17			

TENSION: T.5. = 52 sts. (26 on ea. bed) and 42 rows to 10 cm (approx. 4 ins) over rib. PLEASE CHECK.

NOTE: When a number of sts. is quoted this applies to main bed only. Dec. or inc. should be worked on both beds. When casting off, transfer no. of sts. to be cast off from ribber bed to Main Bed (2 sts. on ea. needle) and then cast off.

BACK: T.2. Using C.C.1. Cast on 110 (118 - 122 - 130) sts. for full needle rib. * T.3. Rib 22 rows. Using C.C.2. Rib 4 rows. Using C.C.1. Rib 22 rows. R/C 0. T.5. Using M.C. * Rib until R/C reads 98. Tie a coloured thread at ea. end of last row. ** R/C 0. Rib until R/C reads 78 (78 - 84 - 84).
SHAPE SHOULDERS: Cast off 7 (7 - 7 - 8) sts. at beg. of next 10 (8 - 6 - 10) rows, then 6 (8 - 8 - 8) sts. at beg. of foll. 2 (4 - 6 - 2) rows. Cast off rem. 28 (30 - 32 - 34) sts.

FRONT: Work as for Back to **. DIVIDE FOR NECK. Transfer 55 (59 - 61 - 65) sts. at opp. end to carr. on to main bed. Knit sts. from these 55 (59 - 61 - 65) needles off on waste yarn. Push empty needles into "A" pos. R/C 0. Knit until R/C reads 57.
SHAPE NECK: Cast off 7 (8 - 9 - 10) sts. at beg. of next row. Dec. at neck edge in next and foll. alt. rows 7 times in all. Work until R/C reads 78 (78 - 84 - 84).
SHAPE SHOULDER: Cast off 7 (7 - 7 - 8) sts. at beg. of next and foll. alt. rows 4 (4 - 3 - 4) times in all, then 7 (8 - 8 - 8) sts. at beg. of foll. alt. row/s 1 (1 - 2 - 1) time/s. Work 1 row. Cast off rem. 6 (8 - 8 - 8) sts. Bring rem. needles from "A" back into "B" pos. Arrange stitches and work other side to correspond.

SLEEVES: T.0. Using C.C.1, cast on 54 (56 - 58 - 60) sts. for full needle rib. Work as for Back from * to *. Work 4 rows. Inc. at ea. end of next and foll. 8th (6th - 6th - 6th) rows 15 (6 - 6 - 10) times in all — 84 (68 - 70 - 80) sts. B, C and D only — then in foll. 8th rows (10 - 11 - 8) times — 88 (92 - 96) sts. Work straight until R/C reads 136 all sizes.
SHAPE TOP: Cast off 6 (6 - 7 - 7) sts. at beg. of next 10 rows. Cast off rem. 24 (28 - 22 - 26) sts.

COLLAR: T.0. Using C.C.1. cast on 181 (183 - 191 - 193) sts. for 1 x 1 rib. T.3. Rib 28 rows dec. at ea. end of alt. rows. Using C.C.2. rib 4 rows, dec. as before. Using C.C.1. rib 28 rows dec. as before 121 (123 - 131 - 133) sts. Cast off 9 (9 - 10 - 10) sts. at beg. of foll. 10 rows. Cast off rem. 31 (33 - 31 - 33) sts.

BIAS EDGING: Using C.C.1. cast on 3 sts. for selvedge edge at L of machine. T.7.1. inc. at ea. end of alt. rows 4 times — 11 sts. R/C 0. ** Dec. at L of machine and inc. at R of machine. Knit 2 rows. ** Rep. from ** to ** until R/C reads 154 (154 - 158 - 158). Dec. at ea. end of next and foll. alt. rows 4 times in all — 3 sts. Cast off.

TO MAKE UP: Join shoulder and sleeve seams. Join side seams to coloured threads. Sew in sleeves. Sew on collar. Sew bias edging to right side of garment along front opening and edge of collar, fold in half and stitch in pos. on wrong side. Press seams. Using C.C.1, C.C.2 and C.C.3 embroider or crochet chain stitch on front yoke as illustrated.

AUP8-2

AUP8-3.

MAN'S JUMPER WITH COLLAR



MATERIALS:
PATONS PATONYLE

		A	B	C	D	E
	25g balls	18	19	20	21	22
or	200g balls	3	3	3	3	3

1 Button.

MEASUREMENTS:

Fits Chest	cm	85	90	95	100	102
	ins	33½	35½	37½	39¼	41¼
Measures	cm	91	96	101	106	111
	ins	35¾	37¾	39¾	41¾	43¾
Length	cm	60	67	67	68	68
	ins	23½	26¼	26¼	26¾	26¾
Sleeve Seam	cm	48				
	ins	19		(all sizes)		

TENSION: T.7.1. = 29 sts. and 39 rows to 10 cm (approx. 4 ins) over st. st. PLEASE CHECK.

CABLE STRIPS (2); Cast on 19 sts. for selvedge edge. Transfer 5th st. from ea. end of work to adj. needle. Push empty needle into "A" pos. R/C 0. T.7.1. ** Knit 4 rows. Counting from L of machine and using 2 pronged transfer tools on centre group of 9 sts. place 8th and 9th sts. on to 6th and 7th needles and 6th and 7th sts. on to 8th and 9th needles. Knit 4 rows. Counting from L of machine, on centre group of 9 sts. place 1st and 2nd sts. on to 3rd and 4th needles and 3rd and 4th sts. on to 1st and 2nd needles. Repeat from ** until R/C reads 160 (160 - 168 - 176 - 176). Cast off.

BACK: T.0. Cast on 134 (142 - 146 - 154 - 162) sts. for 2 x 2 rib. T.3. Rib 32 rows. Transfer sts. to Main Bed. ** R/C 0. T.7.1. Knit until R/C reads 126 (144 - 144 - 144 - 144). Tie a coloured thread at ea. end of last row. Transfer sts. for 2 x 2 rib. R/C 0. T.5.1. Rib until R/C reads 82 (90 - 90 - 94 - 94).
SHAPE SHOULDERS: Cast off 8 (9 - 9 - 10 - 10) sts. at beg. of next 6 (12 - 8 - 8 - 10) rows, then 9 (0 - 10 - 9 - 11) sts. at beg. of foll. 6 (0 - 4 - 4 - 2) rows. Cast off rem. 32 (34 - 34 - 38 - 40) sts.

FRONT: Work as for Back to **. R/C 0. T.7.1. Knit 30 rows. Take work off on waste yarn.

PLACE POCKET OPENINGS: Bring 34 (36 - 38 - 40 - 42) needles on Main Bed into "B" pos. Replace 34 (36 - 38 - 40 - 42) sts. from L of work on these needles. R/C 0. Knit until R/C reads 54. Take work off on waste yarn. Bring 66 (70 - 70 - 74 - 74) needles into "B" pos. Replace next 66 (70 - 70 - 74 - 74) sts. from waste yarn. R/C 0. Knit until R/C reads 54. Take work off on waste yarn. Bring 34 (36 - 38 - 40 - 42) needles into "B" pos. Replace rem. 34 (36 - 38 - 40 - 42) sts. and work as before. Replace all sts. from waste yarn on machine. Remove waste yarn. R/C 54. Knit until R/C reads 126 (144 - 144 - 144 - 144). Tie a coloured thread at ea. end of last row. Transfer sts. for 2 x 2 rib. R/C 0. T.5.1. Rib 4 rows.
DIVIDE FOR NECK: Take 67 (71 - 73 - 77 - 81) sts. at opp. end to carr. off on waste yarn. Push empty needles into "A" pos. Dec. at neck edge in 3rd and foll. 4th rows 16 (17 - 17 - 19 - 20) times in all — 51 (54 - 56 - 58 - 61) sts. work until R/C reads 82 (90 - 90 - 94 - 94).
SHAPE SHOULDER: Cast off 8 (9 - 9 - 10 - 10) sts. at beg. of next and foll. alt. rows 3 (5 - 4 - 4 - 5) times in all, then 9 (0 - 10 - 9 - 0) sts. at beg. of foll. alt. row 2 (0 - 1 - 1 - 0) time/s. Work 1 row. Cast off rem. 9 (9 - 10 - 9 - 11) sts. Bring rem. needles back into "B" pos. work other side to correspond.

SLEEVES: T.0. Cast on 66 (66 - 70 - 70 - 74) sts. for 2 x 2 rib. T.3. Rib 32 rows. Transfer sts. to Main Bed. R/C 0. T.7.1. Knit 4 rows. Inc. at ea. end of next and foll. 6th rows 11 (15 - 12 - 15 - 12) times in all — 88 (96 - 94 - 100 -

98) sts, then in foll. 8th rows 11 (8 - 10 - 8 - 10) times — 110 (112 - 114 - 116 - 118) sts. Knit until R/C reads 164. Cast off.

COLLAR: Cast on 39 sts. for selvedge edge. Counting from L of machine, set for cable on 1st 15 sts. R/C 0. T.7.1. Working in cable patt. on these sts. inc. at ea. end of 5th and foll. 8th (8th - 8th - 10th - 10th) rows 7 (4 - 4 - 9 - 9) times in all — 52 (46 - 46 - 56 - 56) sts, then in foll. 10th (10th - 10th - 12th - 12th) rows 5 (8 - 8 - 3 - 3) times — 62 sts. Work until R/C reads 180 (182 - 182 - 190 - 190). Dec. at ea. end of next and foll. 10th (10th - 10th - 12th - 12th) rows 5 (8 - 8 - 3 - 3) times — 50 (44 - 44 - 54 - 54) sts, then in foll. 8th (8th - 8th - 10th - 10th) rows 6 (3 - 3 - 8 - 8) times. 38 sts. Work 4 rows. R/C reads 284 (292 - 292 - 312 - 312).

POCKET LINING: Cast on 40 sts. for selvedge edge. R/C 0. T.7.1. Knit until R/C reads 98 (98 - 102 - 102 - 106). Cast off.

POCKET EDGES (2): Wrong side facing, pick up 38 sts. along centre edge of pocket opening. T.7.1. Knit 1 row. Transfer sts. for 2 x 2 rib. T.3. Rib 20 rows. Cast off.

TO MAKE UP: Press lightly. Join shoulder and side seams to beg. of rib. Sew cable strips to tops of sleeves. Sew in sleeves. Fold collar in half and stitch in pos. so that cable folds to outside, lapping left end over right as illustrated. Sew pocket facing in pos, attaching narrow ends to pocket openings. Sew pocket edges in pos. Sew on button. Press seams.

AUP8-4.

MAN'S FANCY RIBBED CARDIGAN



MATERIALS:

PATONS BLUEBELL

		A	B	C	D
	25g balls	32	34	36	38
or	200g balls	4	4	5	5

6 Buttons.

MEASUREMENTS:

Fits Chest	cm	90	95	100	105
	ins	35½	37½	39¼	41¼
Measures (approx.)	cm	98	103	108	113
	ins	38½	40½	42½	44½
Length	cm	67	67	68	68
	ins	26¼	26¼	26¾	26¾
Sleeve seam	cm	48	(all sizes)		
	ins	19			

TENSION: T.8. = 26 sts. and 52 rows to 10 cm (approx. 4 ins) over patt. PLEASE CHECK.

PATTERN: Set machine for English Rib. Half Pitch lever on H. Needles arranged as described.
1. Racking grip handle on 5, knit 2 rows.
2. Racking grip handle on 6, knit 2 rows. Repeat.

BACK: T.0. Cast on 139 (147 - 155 - 163) sts. for 1 x 1 rib (odd st. on left). T.5. rib 14 rows. ** Half Pitch lever on H. Transfer 3rd st. to left of O on ribber bed on to same needle as 2nd st. left of O on main bed. Counting to right of this st. transfer next 4 sts. on ribber bed on to adjacent needles to left (thus having 2 "A" pos. needles on each side of this group of 4 sts.). Working from ea. side of this group, * leave 4 sts. in pos, then re-arrange sts. on next 5 needles (as before), rep. from * to end, leaving last 5 (7 - 0 - 2) sts. in pos. — 132 (140 - 146 - 154) sts. ** R/C on 0. T.8. Work in patt. until R/C reads 208. *** SHAPE ARMHOLES: R/C on 0. Cast off 6 (8 - 8 - 10) sts. at beg. of next 2 rows. Dec. at each end of next and alt. rows 7 (8 - 9 - 10) times in all. 106 (108 - 112 - 114) sts. Knit until R/C reads 124 (124 - 130 - 130).


AUP8-3


AUP8-4

SHAPE SHOULDERS: Cast off 12 (12 - 12 - 13) sts. at beg. of next 4 rows, then 11 (12 - 13 - 12) sts. at beg. of foll. 2 rows. Cast off.

LEFT FRONT: Cast on 65 (69 - 73 - 77) sts. for 1 x 1 rib having 31 sts. R of 0, 34 (38 - 42 - 46) sts. L of 0. Work as for Back from ** to *** leaving 5 (7 - 0 - 2) sts. at L of work in pos. 62 (66 - 69 - 73) sts. Work in patt. until R/C reads 20.
SHAPE ARMHOLE: Cast off 6 (8 - 8 - 10) sts. at beg. of next row. Dec. at armhole edge in alt. rows 7 (8 - 9 - 10) times — 49 (50 - 52 - 53) sts. Knit until R/C reads 89 (89 - 93 - 93).
SHAPE NECK: Cast off 7 sts. at beg. of next row. Dec. at neck edge in next and alt. rows 7 (7 - 8 - 8) times in all — 35 (36 - 37 - 38) sts. Knit until R/C reads 124 (124 - 130 - 130).
SHAPE SHOULDER: Cast off 12 (12 - 12 - 13) sts. at beg. of next row and foll. alt. row. Work 1 row. Cast off rem. sts.

RIGHT FRONT: T.0. Cast on 65 (69 - 73 - 77) sts. for 1 x 1 rib. 32 sts. to L of 0, 33 (37 - 41 - 45) sts. to R of 0. Work to correspond with Left Front, reversing all shapings.

SLEEVES: T.0. Cast on 63 sts. for 1 x 1 rib. Odd st. on L. R/C on 0. T.5. rib 28 rows. Work as from ** to ** for Back, leaving 4 sts. at ea. end in pos. at each end of row 60 sts. R/C on 0. T.8. Work 4 rows. Inc. at ea. end of next and foll. 8th (8th - 6th - 6th) rows 19 (21 - 11 -5) times in all, then in foll. 10th (10th - 8th - 8th) rows 4 (4 - 15 - 12) times — 106 (110 - 112 - 114) sts. Work until R/C reads 208.
SHAPE TOP: R/C on 0. Cast off 3 (3 - 4 - 4) sts. at beg. of next 2 rows. Dec. at ea. end of next and foll. 4th rows 4 (2 - 4 - 3) times in all, then in foll. alt. rows 39 —43 - 41 - 43) times. 15 sts. Work 1 row. R/C reads 94 (94 - 98 - 98). Cast off.

COLLAR AND FRONT BANDS: T.0. Cast on 193 (193 - 197 - 197) sts. for 1 x 1 rib. R/C on 0. T.5. rib 42 rows. (Knit 15 sts. at opp. end to carr. on waste yarn and push into "A" pos. Knit 1 row) twice. Cast off 8 sts. at beg. of next 10 rows. Cast off rem. sts. Replace one set of 15 sts. for Left Front Band. R/C on 0. Rib 4 rows. Make a buttonhole by moving 2 centre sts. to adj. needles. Leave empty needles in "B" pos. Make a buttonhole in this manner in foll. 26th rows 7 times. Rib 2 rows. R/C reads 190. Cast off. Bring rem. 15 sts. back to "B" pos. for Right Front Band and work to correspond with Left Front Band omitting buttonholes.

TO MAKE UP: Join shoulder, side and sleeve seams. Sew in sleeves. Sew on collar and front bands. Sew on buttons.

AUP8-5.

LADY'S HOODED OVERSTYLE



MATERIALS:
PATONS BLUEBELL

		A	B	C	D
	25g balls	24	26	28	30
or	200g balls	3	4	4	4

2 Toggles.

MEASUREMENTS:

Fits Bust	cm	80	85	90	95
	ins	31½	33½	35½	37½
Measures	cm	92	97	102	107
	ins	36¼	38¼	40¼	42
Length	cm	64	64	65	65
	ins	25	25	25½	25½
Sleeve Seam (cuff turned Back)	cm	37	(all sizes)		
	ins	14½			

PLACEMENT of sts. for Cables. Transfer 24th (27th - 30th - 33rd) st. to adj. needle. Push empty needle into "A" pos. Leave next 9 sts. in "B" pos. Transfer next st. to adj. needle. Push empty needle into "A" pos. ** Leave next 24 sts. in "B" pos. Transfer next st. to adj. needle. Push empty needle into "A" pos. Leave next 9 sts. in "B" pos. Transfer next st. to adj. needle. Transfer empty needle into "A" pos. ** Rep. from ** to ** once. Leave rem. 23 (26 - 29 - 32) sts. in "B" pos.

CABLE PATT.: Counting from L of Machine. Using a 2 eye transfer tool. On ea. group of 9 sts, transfer 3rd and 4th sts. to 1st and 2nd needles and 1st and 2nd sts. to 3rd and 4th needles. Leave 5th st. on needle. Transfer 6th and 7th sts. to 8th and 9th. needles and 8th and 9th sts. to 6th and 7th needles. Knit 10 rows. Repeat.

TENSION: T.9.1. = 26½ sts. and 39 rows to 10 cm (approx. 4 ins) over st. st. PLEASE CHECK.

OVERSTYLE:

BACK: T.9.1. Cast on 127 (133 - 139 - 145) sts. in waste yarn (odd st. on R). Knit 5 rows. Using Main Yarn T.8.1. Knit 12 rows. T.10 Knit 1 row. T.9.1 Knit 12 rows. T.10 Close hem. Remove waste yarn. Place sts. for cable pattn. R/C 0. T.9.1. Knit 5 rows. Work in patt. until R/C reads 150. Dec. (Inc. - Dec. - Inc.) at R (L - R - L) of work — 126 (134 - 138 - 146) sts. Tie a coloured thread at ea. end of last row. Bring empty needles back into "B" pos. ** Transfer sts. for 2 x 2 rib. R/C 0. T.8. Rib until R/C reads 80 — (80 - 84 - 84).
SHAPE SHOULDERS: Cast off 8 (8 - 8 - 9) sts. at beg. of next 12 (4 - 4 - 8) rows — B, C and D only — then (9 - 9 - 10) sts. at beg. of foll. (8 - 8 - 4) rows.
ALL SIZES: Cast off rem. 30 (30 - 34 - 34) sts.

FRONT: Work as for Back to **. DIVIDE FOR NECK: Knit 73 (77 - 79 - 83) sts. at opp. end to carr. off manually on to waste yarn. Push needles into "A" pos. Beg. at side of work arrange rem. sts. for 2 x 2 rib. R/C 0. T.8. Rib until R/C reads 50.
SHAPE NECK: Dec. at neck edge in next and foll. alt. rows. 5 (5 - 7 - 7) times in all — 48 (52 - 52 - 56) sts. Work until R/C reads 80 (80 - 84 - 84).
SHAPE SHOULDER: Cast off 8 (8 - 8 - 9) sts. at beg. of next and foll. alt. rows 5 (2 - 2 - 4) times in all, B, C and D only — then (9 - 9 - 10) sts. at beg. of foll. alt. rows (3 - 3 - 1) time/s.
ALL SIZES: Work 1 row. Cast off rem. 8 (9 - 9 - 10) sts. Bring rem. sts. from "A" back into "B" pos. Join in yarn and cast off centre 20 sts. and work to correspond with other side.

SLEEVES: T.0. Cast on 90 (94 - 98 - 102) sts. for 2 x 2 rib. T.8. Rib 46 rows. Inc. at R of work in last row. Transfer

AUP8-5

AUP8-6

sts. to Main Bed. Transfer 5th st. to L of 0 and 6th st. to R of 0 to adj. needles. Push empty needles into "A" pos. T.9.1. R/C 0. Knit 5 rows. Work in patt. until R/C reads 120.
SHAPE TOP: Cast off 7 (7 - 8 - 8) sts at beg of next 10 rows. Cast off rem sts.

HOOD:

Cast on 60 sts. for selvedge edge. R/C 0. T.9.1. Knit 10 rows. Inc. at beg. of next and foll. 8th rows 18 times in all — 78 sts. Knit until R/C reads 172. Dec. at beg. of next and foll. 8th rows 18 times in all — 60 sts. Knit until R/C reads 320. Cast off.

FRONT BAND: T.0. Cast on 11 sts. for 1 x 1 rib, inc. at ea. end of Main Bed after selvedge — 13 sts. T.4. Rib 360 rows. Cast off.

ROULEAU FASTENING: Cast on 5 sts. for selvedge edge. Depress R Part button. T.5. Knit a length of tubular knitting 25 cm (9¾ ins) long. Cast off.

TO MAKE UP: Press lightly. Join shoulder and side seams to coloured threads. Join sleeve seams, reversing seam for 7 cm (2¾ ins) on cuff. Sew in sleeves. Join centre back seam of hood and attach to neck of garment. Sew on front band around hood and front opening as illustrated. Join rouleau and catch at centre for fastening. Sew to front band. Sew on toggles. Press seams.

AUP8-6.

LADY'S ENGLISH RIB JUMPER, CAP AND SCARF

MATERIALS:
JUMPER
PATONS BLUEBELL

		A	B	C	D
Main Colour	25g balls	27	28	29	30
or	200g balls	3	3	3	4
Contrast Colour	25g balls	2	2	2	2

HAT (one size only)

Main Colour	25g balls	4
or	200g balls	1
Contrast Colour	25g balls	1

SCARF (one size only)

Main Colour	25g balls	10
or	200g balls	2
Contrast Colour	25g balls	1

Crochet Hook (For Fringe)

MEASUREMENTS:

JUMPER

Fits Bust	cm	80	85	90	95
	ins	31½	33½	35½	37½
Measures	cm	86	91	96	101
	ins	33¾	35¾	37¾	39¾
Length	cm	62	62	63	63
	ins	24½	24½	25	25
Sleeve Seam	cm	43	(all sizes)		
	ins	17			

HAT

Fits Head	cm	56
	ins	22

SCARF

Length (without fringe)	cm	150
	ins	59

TENSION: T.7 = 29 sts. and 54 rows to 10 cm over rib. PLEASE CHECK.

JUMPER BACK: T.0. Using C.C. cast on 125 (133 - 141 - 149) sts. for English Rib (Ribber Man. P.30). R/C 0. T.7 Rib 8 rows. Using M.C. rib until R/C reads 222. Tie a coloured thread at ea. end of last row. ** R/C 0. Rib until R/C reads 108 (108 - 112 - 112).
SHAPE SHOULDERS. Cast off loosely 8 (8 - 9 - 9) sts. at beg. of next 10 (8 - 10 - 8) rows then 7 (9 - 8 - 10) sts. at beg. of foll. 2 (4 - 2 - 4) rows. Cast off rem. 31 (33 - 35 - 37) sts.
FRONT. Work as for Back to **. DIVIDE FOR NECK. Knit 63 (67 - 71 - 75) sts. at opp. end to carr. manually on to waste yarn. Push needles into "A" pos. R/C 0. Rib until R/C reads 77 (77 - 79 - 79).
SHAPE NECK. Cast off 6 (7 - 8 - 9) sts. at beg. of next row. Dec. at neck edge in next and foll. alt. rows 9 times in all — 47 (50 - 53 - 56) sts. Work until R/C reads 108 (108 - 112 - 112).
SHAPE SHOULDER. Cast off 8 (8 - 9 - 9) sts. at beg. of next and foll. alt. rows 4 times in all, then 8 (9 - 9 - 10) sts. at beg. of foll. alt. row. Work 1 row. Cast off rem. 7 (9 - 8 - 10) sts. Bring rem. sts. back into "B" pos. Join in yarn and work other side to correspond, working a dec. at centre front in 1st row.

SLEEVES: T.0. Using C.C. cast on 93 (95 - 99 - 101) sts. for English Rib. R/C 0. T.7. Rib 8 rows. Using M.C. Rib until R/C reads 218. Using C.C. Rib until R/C reads 226. Cast off loosely.

COLLAR: T.0. Using C.C. Cast on 143 (147 - 151 - 155) sts. for English Rib. R/C 0. T.7. Rib 8 rows. Using M.C. rib until R/C reads 70. Cast off 11 (11 - 12 - 12) sts. at beg. of next 10 rows. Cast off rem. sts.

POCKETS: T.0. Using C.C. cast on 37 sts. for English Rib. R/C 0. T.7. Rib 8 rows. Using M.C. rib until R/C reads 72. Cast off loosely.

BIAS BINDING: T.9.1. Using C.C. cast on 3 sts. for selvedge edge at L of machine. R/C 0. Inc. at ea. end of alt. rows 4 times — 11 sts. ** Carr. on R. Dec. 1 st. at L of machine and inc. 1 st. at R of machine. Knit 2 rows. ** Rep. from ** to ** until R/C reads 170. Cast off.

ROULEAU CORD: T.7. Using C.C. Cast on 5 sts. for selvedge edge. Depress R part button. R/C 0. Knit until R/C reads 540. Cast off.

TO MAKE UP: Join shoulder and side seams to coloured threads. Join sleeve seams. Sew in sleeves. Sew on collar and pockets. Fold bias edging in half and place over front edges of collar and front opening, so that fabric is enclosed in edging, then sew in position, stitching through all thicknesses tog. Thread cord through fabric beside edging as illustrated. Press seams.

HAT

T.0. Using M.C. cast on 155 sts. for English Rib. R/C 0. T.7. Rib 120 rows. Using C.C. rib 16 rows. Using M.C. rib until R/C reads 196. Take work off on waste yarn, leaving a thread long enough to draw up sts. at top of hat.

TO MAKE UP: Draw up sts. from waste yarn firmly. Sew up seam. Fold hem under to have 8 rows of C.C. stripe on each side. Sew in pos. Turn back brim.

SCARF:

T.0. Using C.C. Cast on 69 sts. for English Rib. R/C 0. Using C.C. rib 8 rows. Using M.C. rib until R/C reads 800. Using C.C. rib 8 rows. Cast off.

TO MAKE UP: Make a fringe at both ends of scarf as follows. Using M.C. wind yarn around a piece of cardboard 14 cm (5½ ins) wide. Cut along one edge. Using 6 strands of yarn and crochet hook fold yarn in half and draw loop through end st., draw ends through and tighten. Repeat evenly along ea. end of scarf.

AUP8-7


AUP8-8

AUP8-7.

MAN'S JUMPER



MATERIALS:

PATONS BLUEBELL

		A	B	C	D	E
	25g balls	20	21	22	23	24
or	200g balls	3	3	3	3	3

5 Buttons

MEASUREMENTS:

Fits Chest	cm	85	90	95	100	105
	ins	33½	35½	37½	39¼	41¼
Measures	cm	92	97	102	107	112
(approx.)	ins	36¼	38¼	40¼	42	44
Length	cm	58	65	65	66	66
	ins	22¾	25½	25½	26	26
Sleeve seam	cm	48				
	ins	19		(all sizes)		

TENSION: T.9.1. = 26½ sts. and 39 rows to 10 cm (approx. 4 ins) over stocking st. PLEASE CHECK.

BACK: T.0. Cast on 122 (130 - 138 - 146 - 154) sts. for 2 x 2 rib. T.5. rib 32 rows. Transfer sts. to main bed. R/C on 0.T.9.1. knit until R/C reads 112 (132 - 132 - 132 - 132). Tie a coloured thread at each end of last row. Transfer sts. for 2 x 2 rib. ** R/C on O. T.8. rib until until R/C reads 88 (96 - 96 - 100 - 100). Cast off 78 (83 - 87 - 92 - 96) sts. at beg. of next row. R/C on 0. Rib 7 rows. Inc. at beg. of next and alt. rows 15 (16 - 16 - 17 - 17) times in all — 59 (63 - 67 - 71 - 75) sts. Tie a coloured thread at beg. of last row. Cast off 2 sts. at beg. of alt. rows 16 (21 - 17 - 16 — 12) times, then 3 sts. at beg. of foll. alt. rows 8 (6 - 10 - 12 - 16) times. Rib 1 row. R/C reads 85 (93 - 93 - 97 - 97). Cast off.

FRONT: Work as for Back to **. R/C on 0. T.8. rib 3 rows. Cast off 3 sts. at beg. of next and alt. rows 9 (7 - 11 - 13 - 17) times in all, then 2 sts. at beg. of foll. alt. rows 20 (25 - 21 - 20 - 16) times. Dec. at end of alt. rows 11 (12 - 12 - 13 - 13) times. Rib 6 rows. R/C reads 88 (96 - 96 - 100 - 100). Cast off.

SLEEVES: T.0. Cast on 58 (62 - 62 - 66 - 66) sts. for 2 x 2 rib. R/C on 0. T.5. rib 32 rows. Transfer sts. to main bed. R/C on 0. T.9.1. Knit 4 rows. Inc. at ea. end of next and foll. 4th (6th - 4th - 6th - 4th) rows 4 (22 - 4 - 22 - 4) times in all, A, C and E only in foll. 6th rows 19 times — 104 (106 — 108 - 110 - 112) sts. Knit until R/C reads 160. Shape top — R/C on 0. Cast off 8 sts. at beg. of next 10 rows. Cast off.

RIGHT NECKBAND: T.0. Cast on 114 (118 - 126 - 130 - 138) sts. for 2 x 2 rib. R/C on 0. T.5. rib 10 rows. * Knit 23rd to 26th, 35th to 38th, 47th to 50th, 59th to 62nd and 71st to 74th needles at L. of machine — on to waste yarn and leave in "B" pos. *, rib 20 rows, rep. from * to *, rib 10 rows. Cast off.

LEFT NECKBAND: Work as for R. Neckband, omitting buttonholes.

TO MAKE UP: Press stocking st. lightly. Join shoulder sleeve, neckband and side seams to coloured threads. Sew on neckband, fold in half and sl. st. in pos. Remove waste yarn from buttonholes and oversew both pieces tog. Lap neckband over left yoke and oversew at armhole edge. Sew in sleeves. Press seams. Sew on buttons.

AUP8-8.

MAN'S JUMPER



MATERIALS:
PATONS BLUEBELL

		A	B	C	D
	25g balls	39	41	43	45
or	200g balls	5	6	6	6

MEASUREMENTS:

Fits Chest	cm	90	95	100	105
	ins	35½	37½	39¼	41¼
Measures	cm	96	101	106	111
	ins	37¾	39¾	41¾	43¾
Length	cm	65	65	66	66
	ins	25½	25½	26	26
Sleeve Seam	cm	48	(all sizes)		
	ins	19			

PATTERN: Fishermans Rib. (P.31 Ribber Manual).

TENSION: T.7. = 26 sts. and 62 rows to 10 cm (approx. 4 ins) over patt. PLEASE CHECK.

BACK: T.0. Cast on 127 (133 - 141 - 147) sts. for 1 x 1 rib. T.4. Rib 28 rows. Set machine for Fishermans Rib. R/C 0. T.7. Work until R/C reads 268. Tie a coloured thread at ea. end of last row. ** R/C 0. Work until R/C reads 130 (130 - 136 - 136).
SHAPE SHOULDERS: Cast off 8 (8 - 9 - 9) sts. at beg. of next 10 rows, then 7 (9 - 8 - 10) sts. at beg. of foll. 2 rows. Cast off rem. 33 (35 - 35 - 37) sts.

FRONT: work as for Back to **. Knit 75 (78 - 82 - 85) sts. at opp. end to carr. manually on to waste yarn. Push empty needles into "A" pos. R/C 0. Dec. at neck edge in 11th and foll. 20th rows 5 (6 - 6 - 7) times in all. Work until R/C reads 130 (130 - 136 - 136).
SHAPE SHOULDER: Cast off 8 (8 - 9 - 9) sts. at beg. of next and foll. alt. rows 5 times in all. Work 1 row. Cast off rem. 7 (9 - 8 - 10) sts. Bring rem. needles back into "B" pos. Join in yarn and cast off centre 23 sts. work other side to correspond.

SLEEVES: T.0. Cast on 67 (69 - 71 - 73) sts. for 1 x 1 rib. T.4. Rib 28 rows. Set machine for Fishermans Rib. R/C 0. T.7. Rib 10 rows. Inc. at ea. end of next and foll. 10th rows 7 times in all — 81 (83 - 85 - 87) sts, then in foll. 20th rows 8 times — 97 (99 - 101 - 103) sts. Work until R/C reads 254.
SHAPE TOP: Cast off 8 sts. at beg. of next 10 rows. Cast off rem. 17 (19 - 21 - 23) sts.

COLLAR: T.0. Cast on 193 (193 - 199 - 199) sts. for 1 x 1 rib. T.5. Rib 30 rows. T.4. Rib 6 rows. Cast off 4 sts. at beg. of next 40 rows. Cast off rem. 33 (33 - 39 - 39) sts.

TO MAKE UP: Join shoulder and sleeve seams. Sew up side seams to coloured threads. Sew in sleeves. Sew on collar, lapping left side over right as illustrated.

AUP8-9
AUP8-10

AUP8-9

MAN'S YOKED JUMPER

MATERIALS:
PATONS PATONYLE

		A	B	C	D	E
	25g balls	18	19	20	21	22
or	200g balls	3	3	3	3	3

MEASUREMENTS:

		A	B	C	D	E
Fits Chest	cm	85	90	95	100	105
	ins	33½	35½	37½	39¼	41¼
Measures	cm	89	94	99	104	109
	ins	35	37	39	41	43
Length (approx.)	cm	58	65	65	66	66
	ins	22¾	25½	25½	26	26
Sleeve seam	cm	48	(all sizes)			
	ins	19				

TENSION: T.7.1. = 29 sts. and 39 rows to 10 cm (approx. 4 ins) over st. st. T.6. = 36 sts. and 40 rows (slightly stretched) to 10 cm (approx. 4 ins) over rib.

BACK AND FRONT (both alike): T.0. Cast on 131 (139 - 145 - 151 - 159) sts. for 1 x 1 rib. T.3. Rib 30 rows. Transfer sts. to Main Bed. R/C 0. T.7.1. Knit until R/C reads 114 (140 - 140 - 140 - 140). Cast off.

SLEEVES AND YOKE (one piece): T.0. Cast on 69 (69 - 75 - 75 - 81) sts. for 1 x 1 rib. T.3. Rib 30 rows. Transfer sts. for 3 x 3 rib. R/C 0. T.6. Rib 4 rows. Inc. at ea. end of next and foll. 4th rows 42 times in all. 153 —153 - 159 - 159 - 165) sts. Rib until R/C reads 192. Tie a coloured thread at ea. end of last row. R/C 0. Rib 36 (38 - 40 - 42 - 44) rows.
DIVIDE FOR NECK: Knit 77 (77 - 80 - 80 - 83) sts. at opp. end to carr. manually on to waste yarn. Push empty needles into "A" pos. R/C 0. Rib. until R/C reads 104 (106 - 106 - 108 - 108). Take off on waste yarn. Bring rem. sts. back into "B" pos. R/C 0. Rib until R/C reads 104 (106 - 106 - 108 - 108), working a dec. at neck edge in 1st row and an inc. at neck edge in last row. Bring rem. sts. back into "B" pos. R/C 0. Rib 36 (38 - 40 - 42 - 44) rows. Tie a coloured thread at ea. end of last row. R/C 0. Rib 23 rows. Dec. at ea. end of next and foll. 4th rows 42 times in all. 69 (69 - 75 - 75 - 81) sts. Rib 4 rows. R/C reads 192. Transfer sts. for 1 x 1 rib. T.3. Rib 30 rows. Cast off.

NECKBANDS (2): Wrong side facing, pick up 77 (79 - 79 - 81 - 81) sts. evenly along neck edge. T.7.1. Knit 1 row. Transfer sts. for 1 x 1 rib. T.3. Rib 12 rows. Cast off.

TO MAKE UP: Press lightly. Join yoke to bodice between coloured threads. Join side and sleeve seams. Catch down ends of neckband, lapping front band over back. Press seams.

AUP8-10.

LADY'S JUMPER WITH YOKE

MATERIALS:

PATONS PATONYLE

		A	B	C	D	E
	25g balls	19	21	23	25	27
or	200g balls	3	3	3	4	4

MEASUREMENTS:

Fits Bust	cm	75	80	85	90	95
	ins	29½	31½	33½	35½	37½
Measures	cm	80	85	90	95	100
	ins	31½	33½	35½	37½	39¼
Length	cm	55	56	56	57	57
	ins	21¾	22	22	22½	22½
Sleeve seam (excl. cuff)	cm	23	(all sizes)			
	ins	9				

TENSION: T.6.1. = 45 sts. and 39 rows to 10 cm (approx. 4 ins) over rib. PLEASE CHECK.

BACK AND FRONT (Both alike, worked sideways): T.0. Cast on 123 sts. for 1 x 1 rib. Transfer sts. for 3 x 2 rib. R/C 0. T.6.1. Rib until R/C reads 156 (166 - 176 - 186 - 196). Cast off.

YOKE AND SLEEVES (All in one): T.0. Cast on 169 (179 - 189 - 199 - 209) sts. for 1 x 1 rib, dec. at R of machine after selvedge — 168 (178 - 188 - 198 - 208) sts. Transfer sts. for 3 x 2 rib. R/C 0. T.6.1. Rib 182 rows. Tie a coloured thread at ea. end of last row. Rib until R/C reads 212 (217 - 222 - 227 - 232).

DIVIDE FOR NECK: Knit 84 (89 - 94 - 99 - 104) sts. at opp. end to carr. manually on to waste yarn. Push needles into "A" pos. R/C 0. Rib 96 rows. Take these sts. off on waste yarn. Bring rem. needles from "A" back into "B" pos. and replace first set of sts. from waste yarn. R/C 0. Rib 96 rows. Bring rem. needles back into "B" pos. replace second set of sts. from waste yarn. R/C 0. Rib 30 (35 - 40 - 45 - 50) rows. Tie a coloured thread at ea. end of last row. Rib until R/C reads 212 (217 - 222 - 227 - 232). Cast off.

LOWER BANDS (2): Pick up 117 (125 - 133 - 141 - 149) sts. along lower edge of bodice. T.7.1. Knit 1 row. Transfer sts. for 1 x 1 rib. T.3. Rib 48 rows. Cast off.

TO MAKE UP: Join bodice to yoke between coloured threads. Join side and sleeve seams. Turn cuff to inside of sleeve for 9 cm (3½ ins) and stitch in pos. Turn up as illustrated for 6 cm (2⅜ ins). Press seams.

AUP8-11.

BOY'S FANCY YOKE JUMPER



MATERIALS:
PATONS BLUEBELL

		A	B	C	D	E
	25g balls	10	12	14	16	18
or	200g balls	2	2	2	3	3

MEASUREMENTS:

Fits Chest	cm	65	70	75	80	85
	ins	25½	27½	29½	31½	33½
Measures	cm	69	74	79	84	89
	ins	27	29	31	33	35
Length	cm	39	43	47	52	54
	ins	15¼	17	18½	19½	21¼
Sleeve seam	cm	31	35	39	43	48
	ins	12¼	13¾	15¼	17	19

PATTERN: Swing Rib.
Half pitch lever on K. R. on H.
Leave 1 st. at L of work on Main Bed. * Transfer next 4 sts. to Ribber Bed and place heels of these sts. on Main Bed. Leave next 3 sts. on Main Bed. Rep. from * across row. (All needles on Main Bed in "B" pos.).
1. Racking lever on 5, Knit 1 row.
2. Racking lever on 4, Knit 1 row.
3. Racking lever on 3, Knit 1 row.
4. Racking lever on 2, Knit 1 row.
5. Racking lever on 3, Knit 1 row.
6. Racking lever on 4, Knit 1 row.

Rep. steps 1 to 6 incl.

TENSION: T.9.1. = 26½ sts. and 39 rows to 10 cm over st. st. T.8. = 26½ sts. and 39 rows to 10 cm over rib. PLEASE CHECK.

BACK AND FRONT (Alike): T.0. Cast on 94 (98 - 106 - 114 - 122) sts. for 2 x 2 rib. T.4. Rib 20 rows. A, B, C and E only — dec. (inc. - inc. - dec.) 3 (2 - 1 - 1) st/s. in last row 93 (100 - 107 - 121) sts. Transfer sts. to Main Bed. R/C 0. T.9.1. Knit until R/C reads 74 (82 - 88 - 96 - 96). Take work off on waste yarn. Replace work, reversing fabric. R/C 0. Arrange sts. for patt. T.8. Work until R/C reads 56 (64 - 72 - 80 - 86).
SHAPE SHOULDERS: Cast off 4 (5 - 5 - 6 - 6) sts. at beg. of next 6 rows, then 4 (4 - 5 - 5 - 6) sts. at beg. of foll. 2 rows. Transfer Ribber Bed sts. to corresponding sts. on Main Bed. T.9.1. Knit 10 rows. Cast off loosely.

SLEEVES: T.0. Cast on 46 (50 - 54 - 58 - 62) sts. for 2 x 2 rib T.4. Rib 20 rows. Transfer sts. to Main Bed. R/C 0. T.9.1. Knit 4 rows. Inc. at ea. end of next and foll. 8th (10th - 12th - 10th - 10th) rows 11 (11 - 11 - 14 - 15) times in all — 68 (72 - 76 - 86 - 92) sts. Knit until R/C reads 102 (118 - 134 - 150 - 168).
SHAPE TOP: Cast off 5 (5 - 5 - 6 - 7) sts. at beg. of next 10 rows. Cast off rem. sts.

TO MAKE UP: Press lightly, join shoulder seams. Join side seams to start of patt. Join sleeve seams. Sew in sleeves. Turn in neck facing and stitch in pos. Press seams.

AUP8-12.

GIRL'S POLO NECK JUMPER



MATERIALS:
PATONS PATONYLE

		A	B	C	D	E
	25g balls	8	9	10	11	12
or	200g balls	2	2	2	2	2

15 cm (6 in) Zip.

MEASUREMENTS:

Fits Underarm	cm	60	65	70	75	80
	ins	23½	25½	27½	29½	31½
Measures	cm	64	69	74	79	84
	ins	25	27	29	31	33
Length	cm	35	39	43	47	52
	ins	13¾	15¼	17	18½	20½
Sleeve Seam	cm	26	31	35	39	42
	ins	10¼	12¼	13¾	15¼	16½

PATTERN. Swing Rib:
Shift Half Pitch lever on K R to H.
Set racking pos. at 5.
1. Racking lever on 5. Knit 1 row.
2. Racking lever on 4. Knit 1 row.
3. Racking lever on 3. Knit 1 row.
4. Racking lever on 2. Knit 1 row.
5. As 3.
6. As 4.

Repeat.

TENSION: T.7.1. = 26 sts. and 38 rows to 10 cm (approx. 4 ins) over patt.
NOTE: When a number of sts. is quoted this applies to main bed only. Dec. or inc. should be worked on both beds. When casting off, transfer no. of sts. to be cast off from ribber bed to Main Bed (2 sts. on ea. needle) and then cast off.

BACK: T.0. Cast on 85 (91 - 97 - 103 - 109) sts. for 1 x 1 rib. T.3. Rib 12 rows. Transfer 1st st. from R of Ribber Bed on to Main Bed. Place heels of rem. Ribber Bed sts. on to corresponding needles on Main Bed. (All needles on Main Bed in "B" pos.). R/C 0. T.7.1. Work in patt. until R/C reads 78 (80 - 86 - 94 - 106).
SHAPE RAGLAN: R/C 0. Cast off 2 (2 - 2 - 2 - 4) sts. at beg. of next 2 rows. ** Dec. at ea. end of next and foll. alt. rows 16 (22 - 28 - 34 - 36) times in all — 49 (43 - 37 - 31 - 29) sts, A, B, C and D only, then in every row 13 (9 - 5 - 1) time/s. E only — Work 1 row. All sizes: R/C reads 46 (54 - 62 - 70 - 74). Take rem. 23 (25 - 27 - 29 - 29) sts. off on waste yarn.

FRONT: Work as for Back to **. Dec. at ea. end of next and foll. alt. rows 8 (11 - 14 - 17 - 19) times in all — 65 (65 - 65 - 63 - 63) sts.
SHAPE NECK: Note racking lever pos. Knit 37 (37 - 37 - 38 - 37) sts. at opp. end to carr. manually on to waste yarn. Push needles into "A" pos. Work 1 row. Dec. at armhole edge in next and foll. alt. rows 8 (11 - 14 - 17 - 17) times, A, B, C and D only — then in every row 13 (9 - 5 - 1) time/s, AT THE SAME TIME dec. at neck edge in 3rd and foll. alt. rows 3 (4 - 5 - 4 - 4) times in all, then in foll. 4th rows 2 (2 - 2 - 3 - 3) times — 2 sts. Work 2 tog. Fasten off. Bring rem. needles back into "B" pos. Take centre 9 (9 - 9 - 9 - 11) sts. off on waste yarn. Join in yarn and work other side to correspond.

SLEEVES: T.0. Cast on 47 (49 - 51 - 53 - 55) sts. for 1 x 1 rib. T.3. Rib 12 rows. Arrange sts. as before. R/C 0. T.7.1. Work 4 rows. Inc. at ea. end of next and foll. 8th (10th - 12th - 14th - 16th) rows 9 times in all — 65 (67 - 69 - 71 - 73) sts. Work until R/C reads 84 (102 - 120 - 138 - 150).
SHAPE RAGLAN: R/C 0. Cast off 2 (2 - 2 - 2 - 4) sts. at beg. of next 2 rows. Dec. at ea. end of next and foll. alt. (alt. - 4th - 4th - 4th) rows 18 (25 - 2 - 5 - 8) times in all — 25 (13 - 61 - 57 - 49) sts, then in every (every - alt. - alt. - alt.) row/s 9 —3 - 27 - 25 - 21) times. C, D and E only. Work 1 row. ALL SIZES. Take rem. 7 sts. off on waste yarn.

COLLAR: Sew in sleeves, leaving L Back raglan open. Wrong side facing, pick up 87 (93 - 97 - 101 - 105) sts. evenly around neck incl. sts. from waste yarn. T.7.1. Knit 1 row. Arrange sts. for 1 x 1 rib. T.3. Rib 14 rows. T.4. Rib 26 rows. Cast off.

TO MAKE UP: Press lightly. Join side and sleeve seams. Join raglan, reversing seam for polo collar. Sew in zip. Press seams.

EMPISAL

*AN EMPISAL PUBLICATION: WORLD COPYRIGHT BY EMPISAL INTERNATIONAL

EMPISAL

RIBBED KNITWEAR

BOOK AUP8